NEW OUTFALL TO CARNSEW POOL / SOUTH QUAY WITH NON-RETURN FLAP VALVE

1 IN 200 YEAR TIDAL FLOOD LEVEL INCLUDING GLOBAL WARMING ALLOWANCE IS 4.64m AOD

+4.80m

+5.03m

APPROXIMATE LIME KILN BASE LOCATION

New Foodstore

FFL 5.15m

MACADAM AISLES LAID TO FALL TOWARDS POROUS PAVING

RWP

PS

RISING MAIN

G

DRAINAGE FOR ADOPTED HIGHWAY WORKS TO CONNECT TO EXISTING LOCAL HIGHWAY DRAINAGE NETWORK

EXISTING COMBINED SEWER

EXISTING FOUL WATER SEWER

NEW CONNECTION TO EXISTING FOUL WATER SEWER

to 5

6 Works

ment

NOTES

GENERAL

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE. ALL LEVELS ARE IN METRES UNLESS NOTED OTHERWISE.
2. ALL LEVELS RELATE TO ORDNANCE DATUM UNLESS NOTED OTHERWISE.
3. DO NOT SCALE FROM THIS DRAWING. USE FIGURED DIMENSIONS ONLY.
4. ANY DISCREPANCIES TO BE REPORTED IMMEDIATELY TO THE ENGINEER.
5. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS, SUBCONTRACTORS AND SPECIALISTS DRAWINGS AND SPECIFICATIONS.
6. THIS DRAWING IS COPYRIGHT © PROPERTY OF SHEAR DESIGN LIMITED.

DRAINAGE LAYOUT SHOWN IS INDICATIVE FOR PLANNING PURPOSES ONLY & SUBJECT TO DETAILED DESIGN.

KEY

- EXISTING COMBINED SEWER
- EXISTING FOUL WATER SEWER
- PROPOSED FOUL WATER SEWER
- PS — PROPOSED FOUL WATER PUMPING STATION
- PROPOSED FOUL WATER RISING MAIN
- PROPOSED SURFACE WATER SEWER
- RWP — PROPOSED RAINWATER PIPE
- G — PROPOSED ROAD GULLY
- PROPOSED TANKED FORMPAVE AQUAFLOW ML POROUS PAVING SYSTEM
- PROPOSED TANKED FORMPAVE AQUAFLOW POROUS PAVING SYSTEM

REFER TO ARCHITECTS DRAWINGS FOR LATEST SITE LAYOUT PLAN

REV	DATE	DESCRIPTION	BY	CHK
A	15.04.10	MINOR AMENDMENTS TO ROUNDABOUT LAYOUT	CJT	SJM

AMENDMENTS

CLIENT: ACTORIS

PROJECT: PROPOSED FOOD STORE, HAYLE

TITLE: PROPOSED DRAINAGE LAYOUT

SHEAR design
Consulting Civil and Structural Engineers
7 Ashtree Court - Woodsy Close - Cardiff Gate Business Park - Cardiff - CF23 8RW
Tel: 029 2054 7000 - Fax: 029 2054 7001 - www.shear-design.com - enquiries@shear-design.com

DRAWN:	CHECKED:	DATE:	SCALE:
GJS	SJM	FEB 2010	1:250 @ A1

STATUS KEY: I = INFORMATION P = PRELIMINARY A = APPROVAL CO = CONTRACT T = TENDER C = CONSTRUCTION AB = AS-BUILT

STATUS:	DRAWING NUMBER:	REVISION:
A	10011-SK220	A